

State of Louisiana  
Department of Transportation and Development

Qualified Products List 41

**ASPHALTIC MATERIALS**

PRODUCT SOURCE CODE	PRODUCT	SOURCE
4124 4125 4178 41CH 41CI 41EG 41FG	Cutback Asphalt (MC-30, MC-70) Emulsified Asphalt (SS-1, SS-1h, CRS-2, CQS-1H <sup>2</sup> ) Emulsified Polymerized Asphalt (SS-1L) Emulsified Polymerized Asphalt (CRS-2P) AEP Asphalt Emulsion Prime NTSS-1HM Anionic "Trackless Tack" Polymer Modified Emulsion (PME)	Asphalt Products Unlimited, Inc. 4675 Interstate Highway Port Allen, LA 70767 SMM: APS00000330
4162 4163 41EJ 41EL 41EN 41FN 41FO	Emulsified Petroleum Resin (EPR-1) Emulsified Asphalt (SS-1, CRS-2) PG82-22RM NTSS-1HM "Trackless Tack" SS-1H PG 64-22 PAC-15	Blacklidge Emulsions, Inc. 11030 Reichold Road. Gulfport, MS 39503 SMM: APS00000340
41EH	PG 64-22	Calumet Lubricants Co. 3333 Midway Avenue Shreveport, LA 71109 SMM: APS00002480
41FI	NTSS-1HM	Calumet Lubricants Co. 10234 Highway 157 Princeton, LA 71067 SMM: APS00011030
41EM 41FK 41FM	MC-30 Cutback Asphalt PG 76-22M PG 70-22M	Ergon Asphalt & Emulsions P. O. Box 13387 1989 Channel Avenue Memphis, TN 38113 SMM: APS00010280
4181 4187	Emulsified Asphalt (SS-1, CRS-2) Emulsified Polymerized Asphalt (CRS-2P)	Ergon, Inc. 209 Airport Road Mt. Pleasant, TX 75455 SMM: APS00000350

PRODUCT SOURCE CODE	PRODUCT	SOURCE
41FL	PG 76-22M	Ergon Asphalt & Emulsion 7890 Birmingham Road Mulga, AL 35118 <i>SMM: APS000111020</i>
4134 4182 41BT 41AU 41AT 41CJ 41EE 41EK 41FD	Emulsified Asphalt (SS-1, CRS-2, CQS-1H <sup>2</sup> ) Emulsified Polymerized Asphalt (CRS-2P) PG 64-22 <sup>1</sup> PG 70-22M <sup>1</sup> PG 76-22M <sup>1</sup> CSS-1 CSS-1HP AE-P Polymer Modified Emulsion (PME)	Ergon Refining, Inc. P. O. Box 309 2611 Haining Road Vicksburg, MS 39180 <i>SMM: APS00000360</i>
41EF	PG 76-22M	Hunt-Southland Refining Co. (Sandersville Facility) P. O. Drawer A Sandersville, MS 39477 <i>SMM: APS00000380</i>
41EY 41FE	PG 64-22 PG 70-22M	Hunt-Southland Refining Company (Heidelberg) 177 Haney Road Heidelberg, MS 39439 <i>SMM: APS00000385</i>
4139 41BF 41BM 41BG	Cutback Asphalt (MC-30) PG 64-22 <sup>1</sup> PG 70-22M <sup>1</sup> PG 76-22M <sup>1</sup>	Lion Oil Company 1000 McHenry Street El Dorado, AR 71730 <i>SMM: APS00000390</i>
41BP 41BJ 41BK 41BL	PG 58-28 <sup>1</sup> PG 64-22 <sup>1</sup> PG 70-22M <sup>1</sup> PG 76-22M <sup>1</sup>	Marathon Petroleum Company, LP P. O. Box AC Garyville, LA 70051 <i>SMM: APS00000400</i>
41EQ 41ER 41ES 41ET 41EZ 41FC 41FH	PG 64-22 PG 70-22M CRS-2P Polymer Modified Emulsion PG 76-22M AEP SS-1H	Martin Asphalt Company 300 Christy Place South Houston, TX 77587 <i>SMM: APS00010660</i>
41EU 41EV 41EW 41EX 41FJ	Polymer Modified Emulsion CRS-2P SS-1 CRS-2 SS-1H	Martin Asphalt Company 100 ½ East Port Neches Avenue Port Neches, TX 77651 <i>SMM: APS00010850</i>

PRODUCT SOURCE CODE	PRODUCT	SOURCE
41FA	PG 64-22	Martin Asphalt Company (Stanolind Facility) 10 Sulfur Plant Road Beaumont, TX 77701 <i>SMM: APS00010870</i>
41FB	PG 64-22	Martin Asphalt Company (Neches Facility) One Gulf State Road Beaumont, TX 77704 <i>SMM: APS00010880</i>
41EC 41EA 41EB 41EP 41FF	PG 64-22 <sup>1</sup> PG 70-22M <sup>1</sup> PG 76-22M <sup>1</sup> PAC-15 PG 82-22rm	Pelican Refining Co., LLC 4646 Old Town Road Lake Charles, LA 70615 <i>SMM: APS00000410</i>
41EO	PAC-15	Pelican Refining Co., LLC 17310 Market Street Channelview, TX 77530 <i>SMM: APS00010050</i>
4198	Emulsified Petroleum Resin (EPR-1)	Pennzoil Products Company P. O. Box 2967 Houston, TX 77252 <i>SMM: APS00000420</i>
41DT 41DU 41DV	PG 64-22 <sup>1</sup> PG 70-22M <sup>1</sup> PG 76-22M <sup>1</sup>	TOTAL Petrochemicals USA, Inc. P. O. Box 849 Hwy. 366 <sup>th</sup> & 32 <sup>nd</sup> Street Port Arthur, TX 77642 <i>SMM: APS00000480</i>
41DO 41DP 41DQ 41DR 41DS	PG 58-28 <sup>1</sup> PG 64-22 <sup>1</sup> PG 70-22M <sup>1</sup> PG 76-22M <sup>1</sup> MC-30 Cutback Asphalt	Valero Marketing and Supply 10455 Hwy 18 St. James, Louisiana 70086 <i>SMM: APS00000510</i>

**ENDNOTES:**

1. *Material is approved for the Louisiana Approved Supplier Certification Program*
2. *CQS-1H allowed by Contract Specifications only.*
3. *Binders with rotational viscosity values higher than 3.0 Pascal Seconds should be used with caution and only after consulting with the supplier as to any special handling procedures and guarantees of mixing and pumping capabilities.*

**REFERENCE:**

2006 DOTD Standard Specifications, Subsection 1002.01 (Metric/English)  
DOTD Special Provisions (Metric/English)  
DOTD Maintenance Specifications, DOTD 158-001, DOTD 164-002 and DOTD 164-003  
Louisiana Approved Supplier Certification Program

**NOTE:**

All material, regardless of prior approval, shall be sampled in accordance with the Materials Sampling Manual and tested for conformance to the original specification. Any deviation in composition or performance from the original sample submitted may result in removal of the product from the qualified list.

**No information in this list is to be used for promotional purposes.**