

State of Louisiana
 Department of Transportation and Development

Qualified Products List 47

NON-SHRINK GROUT

PRODUCT SOURCE CODE	PRODUCT	WATER CONTENT %	SOURCE
4765 4766 4767	Construction Grout Masterflow 555 Masterflow 938	21 17 15.7	BASF Corporation 889 Valley Park Drive Shakopee, MN 55379 <i>SMM: APS00002390</i>
4712 4728	Burke Non-Shrink Grout Burke 621 Standard Grout	12.6 20	The Burke Company 22039 S. Westward Avenue Long Beach, CA 90810 <i>SMM: APS00001780</i>
4745 4752	Pro-Grout 90 Pro-Grout 100	13.5 15.2	C. G. M., Inc. 1445 Ford Road P. O. Box 413 Bensalem, PA 19020 <i>SMM: APS0005480</i>
4735 4736	Conspec 100 Conspec Enduro 50	14.6 13.1	Conspec Marketing & Manufacturing Co. 636 South 66 th Terrace Kansas City, KS 66111 <i>SMM: APS00002340</i>
4753	CRC Flo-Rite 8500 H. S. Precision Cement Grout	17.1	Construction Resins Corporation 2418 Ludelle Street Ft. Worth, TX 76105 <i>SMM: APS00005490</i>
4738 4741 4739 4740	Gilco Construction Grout Gilco Construction Grout Fine Supreme Supreme Fine	18.9 18.9 22 21	Cormix Construction Chemicals P. O. Box 190970 Dallas, TX 75219 <i>SMM: APS00002940</i>
4744	Rapid Set	21.8	CTS Cement Manufacturing Company 11065 Knott Avenue Suite A Cypress, CA 90630 <i>SMM: APS00002330</i>

PRODUCT SOURCE CODE	PRODUCT	WATER CONTENT %	SOURCE
4737 4743 4748	Sure-Grip High Performance Sure-Grip Utility Grout 1107 Advantage Grout	15 15.6 15	Dayton Superior Corporation 402 South First Street Oregon, IL 61061 <i>SMM: APS00002350</i>
4751	NS Grout	16.7	The Euclid Chemical Company 19218 Redwood Road Cleveland, OH 44110 <i>SMM: APS00002360</i>
4760	FX-227	13.5	Fox Industries, Inc. 3100 Falls Cliff Road Baltimore, MD 21211 <i>SMM: APS00003250</i>
4762 4768 4769	Hilti CG200 Hilti Multipurpose Grout Hilti Precision Grout	16.5 14.1 16.7	Hilti, Inc. 5400 S. 122 nd East Avenue Tulsa, OK 74146 <i>SMM: APS00003300</i>
4717 4727	Crystex Duragrout	15 18	L & M Construction Chemicals, Inc. 14851 Calhoun Road Omaha, NE 68152 <i>SMM: APS0002380</i>
4721	Halco	13	Minwax Construction Products Division 102 Chestnut Ridge Plaza Montvale, NJ 07645 <i>SMM: APS00005500</i>
4722	Quikrete Non-Shrink Grout #1585	17	The Quikrete Companies 1790 Century Circle Atlanta, GA 30345 <i>SMM: APS00005510</i>
4757 4758 4759	Sika Grout 212 Sika Grout 300 PT Sika Grout 328	20 26 17	Sika Corporation 1682 Marion Williamsport Road Marion, OH 43302 <i>SMM: APS00005520</i>

PRODUCT SOURCE CODE	PRODUCT	SYSTEM	SOURCE
4761	SC Multipurpose Grout	14.5	SpecChem 444-B Richmond Avenue Kansas City, KS 66101 SMM: APS00004460
4742	Powergrout P	12.9	Sto Corporation Powercrete Division 6175 Riverside Drive SW Atlanta, Ga 30331 SMM: APS00002040
4723 4733 4746	Symons Multipurpose Grout Richmond Multipurpose Construction Grout Symons Dot Patch	16.5 15.7 12	Symons Corporation 200 E. Touhy Avenue Des Plaines, IL 60018 SMM: APS00003120
4729 4734	TammsgROUT 621 TammsgROUT Supreme	12 16	Tamms Industries 1222 Ardmore Avenue Itasca, IL 60143 SMM: APS00002050
4724	Tremgrout 747	16	Tremcrete Systems, Inc. 4492 Commerce Circle Atlanta, GA 30336 SMM: APS00003430
4725 4726	5 Star Grout NBEC	21 17	U. S. Grout Corporation 401 Stillson Road Fairfield, CT 06430 SMM: APS00005530
4755 4756	Unigrout Unigrout Super	13.5 15.6	Universal Form Clamp, Inc. 840 South 25 th Avenue Bellwood, IL 60104 SMM: APS00003160
4747	Certi-Grout #1000	16	Vexcon Chemicals 7240 State Road Philadelphia, PA 19135 SMM: APS00002070

PRODUCT SOURCE CODE	PRODUCT	SYSTEM	SOURCE
4763	Sealtight CG-86 (Construction Grade)	13.5	W. R. Meadows of Texas
4764	Sealtight 588 Precision Grout	15	2555 N.E. 33 rd Street Fort Worth, TX 76111 <i>SMM: APS00002460</i>

**Contains metallic aggregate*

NOTE 1:

The products listed above are cementitious non-shrink grouts which require only the addition of water. These products are not intended to provide rapid strength gain.

The water content shown represents the amount of water by weight used in qualifying the product. This water content produces a grout having a flowable consistency and does not necessarily represent the manufacturer’s recommended water content shown on the grout container. A non-shrink grout may lose its nonshrinkage characteristics at water contents exceeding the listed values.

NOTE 2:

All material, regardless of prior approval, shall be sampled in accordance with the Materials Sampling Manual and tested for conformance to the original specification. Any deviation in composition or performance from the original sample submitted may result in removal of the product from the qualified list.

No information contained in this list is to be used for promotional purposes.