

State of Louisiana
 Department of Transportation and Development

Qualified Products List 73

PLASTIC PIPE FOR UNDERDRAIN SYSTEMS AND YARD DRAINS

PRODUCT SOURCE CODE	PRODUCT	SOURCE	DIAMETER mm (in.)
UNDERDRAIN SYSTEMS*			
<i>*Perforations, if specified, shall conform to AASHTO M 252.</i>			
(1) CORRUGATED POLYETHYLENE (CPESW) <i>(SMM Material Code, 1006M06300)</i> AASHTO M 252, Type C			
7312	Corrugated Polyethylene Pipe (Single Wall)	Advanced Drainage Systems, Inc. 210 Metro Park Blvd. Ennis, TX 75119 <i>SMM: APS00000990</i>	100 (4) 150 (6)
7313	Corrugated Polyethylene Pipe (Single Wall)	Advanced Drainage Systems, Inc. 205 Apache Drive Jackson, MS 39272 <i>SMM: APS00000640</i>	100 (4) 150 (6)
7301	Corrugated Polyethylene Pipe (Single Wall)	Hancor, Inc. 5695 Highway 61 South Vicksburg, MS 39180 <i>SMM: APS00000670</i>	100 (4) 150 (6)
7302	Corrugated Polyethylene Pipe (Single Wall)	Hancor, Inc. 801 Hickey Street Yoakum, TX 77995 <i>SMM: APS00001010</i>	100 (4) 150 (6)
7317	Corrugated Polyethylene Pipe (Single Wall)	Plastic Tubing Industries of Texas, Inc. 18314 Mathis Road Waller, TX 77484 <i>SMM: APS00001020</i>	100 (4) 150 (6)
(2) POLYVINYL CHLORIDE (PVCP) <i>(SMM Material Codes: 1006M06310, 1006M06320, 1006M06330, 1006M06340)</i> AASHTO M 278 or ASTM D 3034, SDR 35			
7314	Gravity Sewer Pipe	J-M Manufacturing Company, Inc. 2101 J-M Drive Adel, GA 31620 <i>SMM: APS00001030</i>	100 (4)

PRODUCT SOURCE CODE	PRODUCT	SOURCE	DIAMETER mm (in.)
(2) POLYVINYL CHLORIDE (PVCP) (Continued) <i>(SMM Material Codes: 1006M06310, 1006M06320, 1006M06330, 1006M06340)</i> AASHTO M 278 or ASTM D 3034, SDR 35			
7315	Gravity Sewer Pipe	J-M Manufacturing Company, Inc. 2894 Marion Monk Road Bachelor, LA 70715 <i>SMM: APS00001040</i>	100 (4) 150 (6)
7316	Gravity Sewer Pipe	J-M Manufacturing Company, Inc. 2602 West Lyon Station Road Creedmoor, NC 27522 <i>SMM: APS00001050</i>	100 (4) 150 (6)
7318	Gravity Sewer Pipe	J-M Manufacturing Company, Inc. 700A Hwy 59 Loop Wharton, TX 77488 <i>SMM: APS00001060</i>	100 (4) 150 (6)
(3) CORRUGATED POLYETHYLENE (DOUBLE WALL) (CPEPDW) <i>(SMM Material Codes: 1006M06350 and 1006M06360)</i> AASHTO M 252, Type S			
7313	A.D.S. N-12 Corrugated Polyethylene Pipe (Double Wall)	Advanced Drainage Systems, Inc. 205 Apache Drive Jackson, MS 39272 <i>SMM: APS0000640</i>	100 (4) 150 (6)
7301	Hi-Q/Sure Lok (Double Wall)	Hancor, Inc. 5695 Highway 61 South Vicksburg, MS 39180 <i>SMM: APS00000670</i>	100 (4) 150 (6)
7319	Eagle Corr PE (Double Wall)	JM Eagle 1087 US 59 Road Wharton, TX 77488 <i>SMM: APS00010920</i>	100 (4) 150 (6)
7317	Corrugated Polyethylene Pipe (Double Wall)	Plastic Tubing Industries of Texas, Inc. 18314 Mathis Road Waller, TX 77484 <i>SMM: APS00001020</i>	100 (4)

PRODUCT SOURCE CODE	PRODUCT	SOURCE	DIAMETER mm (in.)
YARD DRAINS			
(1) POLYVINYL CHLORIDE (PVCP) <i>(SMM Material Codes: 1006M07300 and 1006M07310)</i> AASHTO M 278 or ASTM D 3034, SDR 35			
7316	Gravity Sewer Pipe	J-M Manufacturing Company, Inc. 2602 West Lyon Station Road Creedmoor, NC 27522 <i>SMM: APS00001050</i>	200 (8) 250 (10)
7318	Gravity Sewer Pipe	J-M Manufacturing Company, Inc. 700A Hwy 59 Loop Wharton, TX 77488 <i>SMM: APS00001060</i>	200 (8) 250 (10)
(2) CORRUGATED POLYETHYLENE (DOUBLE WALL) (CPEPDW) <i>(SMM Material Codes: 1006M07320)</i> AASHTO M 252 or AASHTO M 294, Type S <i>Resin shall have a minimum cell classification of 324420C in accordance with ASTM D 3350</i>			
7313	A.D.S. N-12 Corrugated Polyethylene Pipe (Double Wall)	Advanced Drainage Systems, Inc. 205 Apache Drive Jackson, MS 39272 <i>SMM: APS00001000</i>	200 (8) 250 (10) 300 (12) 375 (15) 450 (18)
7301	Hi-Q/Sure Lok (Double Wall)	Hancor, Inc. 5695 Highway 61 South Vicksburg, MS 39180 <i>SMM: APS00000670</i>	200 (8) 250 (10)
7310	Sure-Lok Corrugated Polyethylene Pipe (Double Wall)	Hancor, Inc. P. O. Box 1047 Findlay, OH 45840 <i>SMM: APS00000650</i>	300 (12) 375 (15) 450 (18)
7319	Eagle Corr PE (Double Wall)	JM Eagle 1087 US 59 Road Wharton, TX 77488 <i>SMM: APS00010920</i>	200 (8) 250 (10) 300 (12) 375 (15) 450 (18)
7308	Corrugated Polyethylene Pipe (Double Wall)	Quail Piping Products 2220 Duracrete Drive Magnolia, AR 71753 <i>SMM: APS00000680</i>	300 (12) 375 (15) 450 (18)

PRODUCT SOURCE CODE	PRODUCT	SOURCE	DIAMETER mm (in.)
(3) RIBBED POLYVINYL CHLORIDE (RPVCP) (SMM Material Codes: 1006M07330) ASTM F 794 or ASTM F 949			
7306	A-2000	Contech Construction Products, Inc. 1110 Adlai Stevenson Drive Springfield, IL 62703-4297 <i>SMM: APS00000610</i>	300 (12) 375 (15) 450 (18)
7309	A-2000	Contech Construction Products, Inc. 2700 Gunter Drive, West Montgomery, AL 36109 <i>SMM: APS00000620</i>	200 (8) 250 (10) 300 (12) 375 (15) 450 (18)
7311	Ultra-Rib	Uponor ETI, Inc. 101 East Avenue M Conroe, TX 77301 <i>SMM: APS00001070</i>	200 (8) 250 (10) 300 (12) 375 (15) 450 (18)

REFERENCE:

2000 DOTD Standard Specifications, Subsection 1006.08 and 1006.09

NOTE:

Qualification of a product is not blanket approval for its use.

A Certificate of Analysis indicating actual test result shall accompany each shipment of pipe. A sample may be taken by Department personnel for each type of pipe. Final acceptance of each shipment is dependent upon test results which shall conform to the established specification requirements and which identify the sample as being representative of the product originally approved.

Any deviation in composition or performance from the original sample submitted may result in removal of the product from the qualified list.

No information contained in this list is to be used for promotional purposes.